### Contents: Anaesthesia, vol. 41, no. 1, January 1986

EDITORIAL Transdermal hyoscine (scopolamine) and postoperative vomiting	
J.K. Aronson and J.W. Sear	1
VIAL IN CONTROL OF THE CONTROL OF TH	
ORIGINAL ARTICLES	
Thiopentone levels during cardiopulmonary bypass. Changes in plasma protein binding during continuous infusion	
D.J. Morgan, D.P. Crankshaw, P.R. Prideaux, H.N.J. Chan and M.D. Boyd	4
C-reactive protein in patients undergoing cardiac surgery	
H. Boralessa, F.C. De Beer, A. Manchie, J.G. Whitwam and B. Pepys	11
Transdermal hyoscine and postoperative nausea and vomiting	16
J. Uppington, J. Dunnet and C.E. Blogg Intramuscular midazolam premedication in small children. A comparison with papaveretum and	10
hyoscine	
M.B. Taylor, P.R. Vine and D.J. Hatch	21
Lower himb blocks for children. Lateral cutaneous and femoral nerve blocks for postoperative	
pain relief in paediatric practice	
L.R. McNicol	27
Longterm treatment with epidural opioids. A retrospective study comprising 150 patients treated with morphine chloride and buprenorphine	
P. Carl, M.E. Crawford, O. Ravlo and V. Bach	32
Computerised tomography guided lumbar sympathectomy	
D.R.O. Redman, P. N. Robinson and M.A. Al-Kutoubi	39
HISTORICAL Alfred Kirstein. Pioneer of direct laryngoscopy	
N.P. Hirsch, G.B. Smith and P.O. Hirsch	42
Stanley Rowbotham. Twentieth century pioneer anaesthetist	
H.A. Condon and E. Gilchrist	46
CASE REPORTS	
Phenelzine poisoning	
F.X. Breheny, G.J. Dobb and G.M. Clarke	53
Acute upper airway obstruction. Spontaneous retropharyngeal haematoma in a patient with poly-	
cythaemia rubra vera	57
J.W. Mackenzie and J.A. Jellicoe Detection of neurological damage during cardiopulmonary bypass	31
S.N.C. Bolsin	61
Neonatal tracheal perforation. A complication of tracheal intubation	
B.J. McLeod and E. Sumner	67
APPARATUS	
Remote monitoring using an induction loop	
M.J. Harrison and E.J. Slater	71
FORUM Characteristic Control of the	
Cryoanalgesia for pain after herniorrhaphy R.C. Khiroya, H.T. Davenport and J.G. Jones	73
Epidural buprenorphine for postoperative analgesia. A controlled comparison with epidural	, ,
morphine	
J. Wolff, P. Carl and M.E. Crawford	77
CORRESPONDENCE	80
CONNESPONDENCE	00
AUDIOVISUAL REVIEWS	94
	0.5
ANAESTHETIC LITERATURE	97
NEWS AND NOTICES	106
ANNUAL REPORT OF COUNCIL	120
STOR PROPERTY.	120

# Contents: Anaesthesia, vol. 41, no. 2, February 1986

EDITORIAL '	
A matter of vigilance R. Green	129
ORIGINAL ARTICLES	
Nuclear magnetic resonance. Its implications for the anaesthetist	131
C. Nixon, N.P. Hirsch, I.E.C. Ormerod and G. Johnson	131
In vitro buffering capacity of Alka Seltzer Effervescent. A comparison with magnesium trisilicate mixture B.P. and sodium citrate 0.3 M	
G.C. Murrell and M. Rosen	138
Continuous infusion epidural analgesia in obstetrics. A comparison of 0.08% and 0.25%	
hunivacaine	1.42
A. Ewen, D.D. McLeod, D.M. MacLeod, Alison Campbell and M.E. Tunstall	143
Bacterial contamination of compressed air for medical use	148
P. Bjerring and B. Øberg Time course of action of combinations of vecuronium and pancuronium	
S.K. Pandit, C.J. Ferres, F.M. Gibson and R. K. Mirakhur	151
Plasma bupivacaine concentrations following psoas compartment block	
J.A. Odoom, W.W.A. Zuurmond, I.L. Sih, J. Bovill, G. Osterlöf and H.V. Oosting	155
Pretreatment with opioids. The effect on thiopentone induction requirements and on the onset of	
action of midazolam  J.W. Dundee, N.J. Halliday, T.J. McMurray and K.W. Harper	159
The haemodynamic effects of bronchoscopy. Effect of pretreatment with fentanyl and alfentanil	
Katheryn J. Wark, J. Lyons and R. O. Feneck	162
Assisted ventilation and the Servo ventilator in infants. An assessment of three systems used for	
CPAPIMV	168
R.M. Bingham, D.J. Hatch and P.J. Helms  Monitoring EEG frequency and amplitude during cardiac surgery	108
A. Murray, A.P. Glaria and D.T. Pearson	173
Anaphylactoid reaction complicating neonatal anaesthesia	
E.M.M. Pollock, A.D. MacLeod and L.R. McNicol	178
CASE REPORT	
All that wheezes is not asthma	101
A.R. Lloyd-Thomas and G.H. Bush	181
Amiodarone, phaeochromocytoma and cardiomyopathy G. Solares, F. Ramos, R. Martin-Durán, J.M. San-José and M. Buitrago	186
Anaesthesia for surgical occlusion of the basilar artery. A technique involving intra-operative	
awakening to allow neurological assessment	
C.S. Child, M.P.D. Heining, I. Calder and H.A. Crockard	191
APPARATUS	
A new device for the inflation of the antigravity suit	
P.M. Brodrick	195
An evaluation of the Datex Normac anaesthetic agent monitor	198
A.D. Colquhoun, W.M. Gray and A.J. Asbury	130
FORUM	
Local complications following intravenous benzodiazepines in the dorsum of the hand. A comparison	
between midazolam and Diazemuls in sedation for dentistry	
J.J. Margary, N.L. Rosenbaum, M. Partridge, S. Shankar	205
CORRESPONDENCE	208
BOOK REVIEWS	227
AUDIOVISUAL REVIEWS	229
INDEX OF COMPUTER PROGRAMS	231
ANAESTHETIC LITERATURE	232
STOP PRESS	9.00
TRESS	240

# Contents: Anaesthesia, vol. 41, no. 3, March 1986

EDITORIAL	
A crisis of learning in anaesthesia	
R.D. Jack	241
ORIGINAL ARTICLES	
Plasma cholinesterase changes during the puerperium	
N. Robson, I. Robertson and M. Whittaker	243
Diabetes mellitus and open heart surgery. A simple, practical closed-loop insulin infusion system for	
blood glucose control	
B.G. Watson, M.J. Elliott, D.A. Pay and M. Williamson	250
Anxiety levels in junior anaesthetists during early training	
C.A. Pinnock, A.E. Elling, R.J. Eastley and G. Smith	258
Meptazinol versus pethidine for postoperative pain relief in children	
S.A. Ridley, N.C. Matthews and J. Dixon	263
Influence of induction of anaesthesia with midazolam on the neuro-endocrine response to surgery	
D. Dawson and J.W. Sear	268
Blood glucose in anaesthetised children. Comparison of blood glucose concentrations in children	
fasted for morning and afternoon surgery	
N. Redfern, G.M. Addison and G. Meakin	272
Midazolam in conservative dentistry. A cross-over trial	
R.A. Dixon, C. Kenyon, D.R.G. Marsh and J.A. Thornton	276
Intubating conditions following pre-induction priming with alcuronium	
A.W. Harrop-Griffiths, R.M. Grounds and M. Moore	282
Pressure changes in tracheal tube cuffs	
M. Chandler	287
The stability of preservative-free morphine in plastic syringes	
R.J. Bray, P.A. Davies and J.A. Seviour	294
CASE REPORT	
Anaesthesia for Friedreich's ataxia. Case report and review of the literature	
C.F. Bell, J.M. Kelly and R.S. Jones	296
APPARATUS	
The Nellcor N-101 pulse oximeter. A clinical evaluation in anaesthesia and intensive care	201
J.A. Tytler and H.F. Seeley	302
Force exerted by epidural catheters	20/
P.A.J. Hardy	306
Halothane and trichloroethylene. Two agents in a single vaporizer	200
N. Hollis	309
Clinical automatic control of neuromuscular blockade	214
A.J. Asbury and D.A. Linkens	316
CORRESPONDENCE	321
BOOK REVIEWS	339
ANAESTHETIC LITERATURE	343
STOP PRESS	349
CObne	24

## Contents: Anaesthesia, vol. 41, no. 4, April 1986

EDITORIAL	
Adverse reactions to drugs and anaesthetists	
J.W. Dundee	351
ORIGINAL ARTICLES	
Vecuronium induced neuromuscular blockade. The effect of increasing dose on speed of onset	
W.R. Casson and R.M. Jones	354
A pre-induction test dose for suxamethonium	
J. Carnie	358
An investigation of factors affecting postoperative rewarming of adult patients	
F. Carli, M. Gabrielczyk, M.M. Clark and V.R. Aber	363
Obstetric anaesthetic services in Scotland in 1982	370
D.B. Scott and R.E.G. Aitken	3/0
Atracurium infusions in patients with renal failure on an ITU	375
R.B. Griffiths, J.M. Hunter and R.S. Jones	313
Profound atracurium induced neuromuscular blockade. A comparison of evoked reversal with	
edrophonium or neostigmine W.R. Casson and R.M. Jones	382
Changes in skin thermal clearance during anaesthesia	202
J.L. Saumet, C.S. Degoute, A. Dittmar and V. Banssillon	386
The effect of halothane on cerebral electrical activity. An assessment using the cerebral function	
analysing monitor (CFAM)	
K.J. Wark, P.S. Sebel, C. Verghese, D.E. Maynard and S.J.W. Evans	390
CASE REPORTS	
Anaesthesia for congenital analgesia. A case report	
P.R. Layman	395
Raynaud's phenomenon precipitated by blood transfusion	
J.K. Moore and D.W. Proctor	398
Accidental spinal anaesthesia following intrathoracic intercostal nerve blockade. A case report	401
M.R.J. Sury and R.M. Bingham	401
Carcinoid syndrome with myasthenia gravis. An unusual and interesting case	404
S.J. Keens, M.J. Desmond and J.E. Utting	404
Multiple complications after internal jugular vein catheterisation  Z. Gamulin, JC. Brückner, A. Forster, F. Simonet and JC. Rouge	408
APPARATUS	
The digital control of anaesthetic gas flow	413
R.W. Boaden and P. Hutton	413
FORUM	
The use of antacids as a prophylaxis against Mendelson's syndrome in the United Kingdom. A survey	,
B. Sweeney and I. Wright	415
intravenous feeding with medium chain triglycerides. Effect on blood gases and the complement	1
system in critically ill patients	
M.J. Ball and J.W. Sear	42
CORRESPONDENCE	42
AVAPPAN	
ANAESTHETIC LITERATURE	44
NEWS AND NOTICES	45
THE ANNUAL CONFERENCE OF LINKMEN OF THE ASSOCIATION OF ANAESTHETISTS OF GREAT BRITAIN AND	0
IRELAND. 1985	46

### Contents: Anaesthesia, vol. 41, no. 5, May 1986

EDITORIAL	
C. Langton Hewer, MB, BS, FFARCS, MRCP, DA T.B. Boulton	469
ORIGINAL ARTICLES	
Single breath induction of anaesthesia, using a vital capacity breath of halothane, nitrous oxide and oxygen	
	472
Alfentanil supplemented anaesthesia for short procedures. A double-blind study of alfentanil used with etomidate and enflurane for day cases	
	477
Sensitivity to propofol in the elderly	405
J.W. Dundee, F.P. Robinson, J.S.C. McCollum and C.C. Patterson  Premedication with cimetidine and metoclopramide. Effect on the risk factors of acid aspiration	482
	486
Comparison of effects of fentanyl and alfentanil on intra-ocular pressure. A double-blind controlled trial	100
S.M. Mostafa, A. Lockhari, D. Kumar and M. Bayoumi	493
	499
Influence of ketanserin pretreatment on the haemodynamic responses to sternotomy	
J.N. Cashman, M.A. Thompson and A. Bennett	505
CASE REPORT	
Ventricular volume and ejection fraction in the diagnosis of the aetiology of low cardiac output in	
burned patients	
J.A.J. Martyn, K. McKusick, H.W. Strauss and J.F. Burke	511
APPARATUS	
A portable oxygen generator	
L.W. Hall, R.E.B. Kellagher and K.J. Fleet	516
Selective bronchial intubation for one lung anaesthesia in thoracic surgery. A new method	610
S. Nazari, R. Trazzi, F. Moncalvo, A. Zonta and M. Campani  A comparison of five heat and moisture exchangers	519
M. Shelly, D. W. Bethune and R.D. Latimer	527
	-
FORUM	
Anaesthetic management and postoperative care of cardiac surgical patients in a general recovery ward	
C. Aps, J.A. Hutter and B.T. Williams	533
Morbidity after day case laparoscopy. A comparison of two techniques of tracheal anaesthesia	55.
M. Skacel, P. Sengupta and O.M. Plantevin	53
Bromazepam as oral premedication. A comparison with lorazepam	
R. Ponnudurai and J. Hurdley	54
Fire in the operating theatre. Evacuation pre-planning may save lives	
M.A. Moxon and M.E. Ward	54:
CORRESPONDENCE	54
BOOK REVIEWS	56
ANAESTHETIC LITERATURE	56
SAFETY INFORMATION BULLETIN	57
STOP PRESS	57

#### Contents: Anaesthesia, vol. 41, no. 6, June 1986

EDITORIAL	
Halothane hepatitis in children	
B. Walton	575
ORIGINAL ARTICLES	
Increased hepatic microsomal activity after halothane anaesthesia in children	
O. St Haxholdt, S. Loft, A. Clemmensen and E.H. Hjortse	579
The effects of continuous intravenous naloxone on epidural morphine analgesia	
G.S. Thind, J.C.D. Wells and R.G. Wilkes	582
The influence of nitrous oxide on oxyhaemoglobin dissociation and measurement of oxygen tension	502
M.V. Shah, L.K. Anderson and N.A. Bergman	586
	200
Propofol and alfentanil infusion. A comparison with methohexitone and alfentanil for major surgery	200
B. Kay	589
CASE REPORTS	
Peri-operative management of carcinoid syndrome using ketanserin	
K. Houghton and J.A. Carter	596
Anaphylaxis to precurarising doses of gallamine triethiodide	
J.F. Harrison and A.G. Bird	600
Pulmonary occlusion (wedge) angiography in adult respiratory distress syndrome. A survey of angio-	
graphic appearances and outcomes	
P.G. Lawler	605
Halothane hepatitis in an 11-month-old child	003
	611
R.H. Whitburn and E. Sumner	011
Acute rhabdomyolysis following surgery for burns. Possible role of tourniquet ischaemia	
P.M. Pfeifer	614
Intensive care aspects of severe Legionella pneumonia	
K.J. Power and D.J. Bowen	620
Acute respiratory failure following lithium intoxication. A report of two cases	
P.G. Lawler and J.R. Cove-Smith	623
APPARATUS	
A new double lumen tube adaptor. Use in adjustment of bronchial cuff volume and oxygenation	
A.N. Sibai and A. Baraka	628
No moving parts. A modification of a Bain system and a Penlon Nuffield 200 ventilator	020
M.N. Calhaem	631
M.N. Cainaem	031
FORUM	
Intravenous fluids in minor surgery. Their effect on recovery from anaesthesia	
P.W. Keane and P.F. Murray	635
Hypotensive anaesthesia for microsurgery of the middle ear. A comparison between isoflurane and halothane	
M.L. Fairbairn, R.J. Eltringham, P.N. Young and J.M. Robinson	637
Intravenous anaesthesia with propofol and alfentanil. The influence of age and weight	
P. Hilton, V.J. Dev and E. Major	640
Treatment of near drowning—a review of 130 cases	0.00
A.D. Simcock	643
A.D. SIMCOCK	043
CORRESPONDENCE	649
ANAESTHETIC LITERATURE	682
HAZARD NOTICE	688
STOP PRESS	688

OTHER ARTICLES

Newspaper article

SHAFFER RA. Advances in chemistry are starting to unlock mysteries of the brain: discoveries could help to cure alcoholism and insomnia, explain mental illness. How the messengers work. Wall Street Journal 1977 Aug 12: 1(col 1), 10(col 1).

Magazine article

ROUECHE B. Annals of medicine: the Santa Claus culture. The New Yorker 1971 Sept 4: 66-81.

Do not include tables in the text. Start a new sheet for each table and space the material adequately.

The author(s) name(s) should appear in the top right-hand corner.

Indicate the approximate position of each table in relation to the subject matter of the text in the righthand margin of the appropriate page on the manuscript. Do not submit tables as photographs. Number tables consecutively with arabic numerals. Supply a brief title for each. Give each column a short or abbreviated heading. Place explanatory matter in footnotes. Explain in footnotes all non-standard abbreviations that are used in each table. For footnotes, use the following symbols in this sequence: \*, †, ‡, §, ||, ¶, \*\*, ††, etc. Identify statistical measures of variations such as SD and SEM. Legends for tables should appear on the face of the table.

Cite each table in the text in consecutive order and mark the approximate position of the table in

the right-hand margin of the text.

#### **FIGURES**

Each figure should be separate. Do not include figures in the text but collect together in an envelope or folder

Indicate the approximate position of each figure in relation to the subject matter of the text in the righthand margin of the appropriate page of the manuscript. Drawings, charts and diagrams should be submitted in black indian ink on a smooth white card and should be about twice the size of that desired in the published version with no lettering. Full plate, glossy black and white photographs will be accepted if they are sufficiently clear. All letters and numerals required on the face of figures must be clearly typed or written on tracing paper firmly attached with self-adhesive tape to the back of the figure and folded over from the front as a cover. They will then be printed in the style of *Anaesthesia* in the exact location indicated. Identify each figure by its sequential number in pencil on the reverse of the illustration and include the title of the paper and the authors' names. Mark the top of the illustration on the reverse by an arrow and the word 'Top'.

All sources of identification of patients must be removed.

#### LEGENDS FOR FIGURES

Start a new sheet

Type legends for illustrations double spaced with arabic numerals corresponding to the illustrations. When symbols, arrows, numbers or letters are used to identify parts of the illustrations, identify and explain each one clearly in the legend.

CONVENTIONS AND ABBREVIATIONS

Statistics and measurements should be given in figures except that numerals one to nine should be in words if not followed by a measurement symbol (e.g. 'two patients' but '2.0 mg'). The Système International (SI) will usually be used except that vascular pressures will be recorded in mmHg and cmH<sub>2</sub>O. Imperial measurements will not be used except in an historic context. The 24 hour clock will be used.

Contributors are advised to study the SI Conversion Tables provided in the January 1978 issue of Annesthesia, Units. Symbols and Abbreviations (A Guide for Biological and Medical Editors and Authors) published by the Royal Society of Medicine, London W1M 8AE, and Uniform requirements for manuscripts submitted to biomedical journals (British Medical Journal 1979; 1: 532-5).

LETTERS FOR PUBLICATION

Should be addressed to Dr J. N. Lunn, Editor of Anaesthesia, Department of Anaesthetics, University of Wales Hospital, Heath Park, Cardiff CF4 4XW, UK.

Letters should be typewritten on one side of the paper only and double spaced with wide margins. Copy should be prepared in the usual style and format of the Correspondence section. Authors must follow the advice about references and other matters above. The degrees and diplomas of each author must be given in a covering letter which must be signed personally by all the authors.

Correspondence presented in any other style or format may be the subject to considerable delay and

may be returned to the author for revision.

The editors regret that failure to comply with the above requirements may result in a delay in publication of accepted papers.

**REVIEW JOURNALS** 

This journal is covered by Current Contents, ASCA and the Science Citation Index.